### **SAFETY DATA SHEET**

### 1. PRODUCT IDENTIFICATION & COMPANY INFORMATION

PRODUCT: Slip No More Cleaner and Maintainer

ITEM: SNMCL-031& SNMCL-041

RECOMMENDED USE: Floor and Tile Cleaner
Slip No More OC LLC
145 S Moapa Valley Blvd Ste 4

Overton Nevada 89040 United States of America

# MANUFACTURER:

DATE ISSUED :	11/11/2023
SDS REF. No:	SL03CLEANER

NON-EMERGENCY TELEPHONE NUMBER: (702) 400-5767

24 HR. EMERGENCY TELEPHONE NUMBER: INFOTRAC (US Transportation): (800) 535-5053

### 2. HAZARDS INGREDIENTS & IDENTIFICATION

### **GHS CLASSIFICATION:**

Skin Corrosion/Irritation: Category 3
Acute Toxicity: Oral Category 4
Acute Toxicity: Skin Category 5
Serious Eye Damage/Eye Irritation: Category 2

## GHS ELEMENT: Hazard Pictograms



#### SIGNAL WORD: WARNING

HAZARD STATEMENTS: Causes mild skin irritation. May be harmful if swallowed. May be harmful in contact with skin. Causes serious eye irritation.

## PREVENTION:

Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

# RESPONSE:

**IF SWALLOWED:** Do Not induce vomiting. Rinse mouth. Immediately drink 1 to 2 glasses of water or milk. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

**If in EYES:** In case of contact, immediately flush thoroughly with plenty of cool running water. Remove contact lenses if worn. Continue flushing for at least 15 minutes holding eyelids apart. If irritation persists, get medical attention promptly.

**IF on SKIN (or HAIR):** In case of contact, immediately flush thoroughly with plenty of cool running water for at least 15 minutes. Immediately remove contaminated clothing and shoes. Wash prior to reuse.

**IF INHALED:** If discomfort is experienced from exposure to spray mist, the person should employ respiratory protection or leave the contaminated area until proper ventilation is restored. Breathe fresh air. If irritation persists, get medical attention.

**STORAGE:** Store in a tightly closed container. Do not store near oxidizers, alkalis, acids and bleach. Do not mix with other chemicals. Store away from excessive heat. Store in cool dry place at room temperature away from direct sunlight. Store in accordance to local regulations.

**DISPOSAL METHOD:** Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

OTHER HAZARDS: None known

# 3. PHYSICAL DATA/COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight%
Water	7732-18-5	90 -95
Diethylene Glycol Butyl Ether	112-34-5	< 2
Sodium Tripoly Phosphate	7758-29-4	< 2
Nonionic and Cationic Surfactants	Proprietary	< 2
Isopropanol	67-63-0	< 1
Dodecyl Benzene Sulfonic Acid	27176-87-0	< 1
Sodium Gluconate	527-07-1	< 1
Ethanolamine	141-43-5	< 1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## 4. HEALTH HAZARD DATA & FIRST AID MEASURES

**EYES:** Rinse with plenty of water. **SKIN:** Rinse with plenty of water.

**INGESTION:** Rinse mouth. Get medical attention if symptoms occur.

INHALATION: Get medical attention if symptoms occur.

NOTES TO PHYSICIAN: Treat symptomatically.

#### 5. FIRE FIGHTING & EXPLOSION DATA/MEASURES

SUITABLE EXTENGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment. Water, Carbon Dioxide, Dry Chemical, Foam.

UNSUITABLE EXTENGUISHING MEDIA: None Known

SPECIFIC HAZARDS DURING FIRE FIGHTING: Not flammable or combustible.

HAZARDOUS COMBUSTION PRODUCTS: None Known

**FIRE FIGHTING EQUIPMENT:** Avoid breathing of vapors. Apply water spray to cool fire-exposed containers and

structures. Use water spray to disperse vapors. Use Self Contained Breathing Apparatus

(SCBA) or NIOSH approved respirator and protective clothing.

SPECIAL EXTINGUISHING: Fire residues and contaminated fire extinguishing water must be disp

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of and/or explosion do not breathe

fumes.

OTHER CONSIDERATIONS: If material is released, area will become slippery.

#### **6. ACCIDENTAL RELEASE MEASURES**

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PRODCDURES:** Wear protective equipment as needed. Refer to protective measures listed in sections 7 and 8.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:** To contain spilled material, dike area involved. Remove source of ignition and provide ventilation. To absorb product, use porous material such as diatomaceous earth, sand or a commercial absorbent. Using a shovel, place into leak proof containers.

WATER DISPOSAL METHOD: Dispose of according to local, state and federal regulations. Wear protective equipment as needed.

ENVIRONMENTAL PRECAUTIONS: Do not allow contact with soil, surface or ground water.

## 7. PRECAUTIONS FOR SAFE HANDLING/STORAGE/USE

**SAFE HANDLING:** Wash hands thoroughly after handling.

**GENERAL PROCEDURES:** Store in original container in an upright position in a cool, dry area inaccessible to

children and pets. Keep away from direct sunlight and freezing conditions. Do not store

near oxidizers, alkalies, acids and bleach. Do not mix with other chemicals.

**STORAGE TEMPERATURE:** 0 °C to 50 °C

# 8. EXPOSURE CONTROLS\PERSONAL PROTECTION (PPE)

#### OCCUPATIONAL EXPOSURE LIMITS:

CCUPATIONAL EXPOSURE LIMITS:				
Chemical Name	CAS Number	ACGIH TLV	OSHA PEL	NIOSH
Dodecyl Benzene Sulfonic Acid	27176-87-0	10 ppm (ST) 15 ppm	10 ppm (ST) 15 ppm (C) 40 ppm	10 ppm (ST) 15 ppm
Diethylene Glycol Butyl Ether	112-34-5	TWA 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Isopropanol	67-63-0	TWA: 400ppm	TWA: 500 ppm (1,225mg/m³)	IDLH: 12,000 ppm TWA: 500 ppm TWA: 1,225 mg/m³
Ethanolamine	141-43-5	TWA: 3 ppm STEL: 6 ppm	(Vacated) TWA: 3 ppm (Vacated) TWA: 8 mg/m3 (Vacated) STEL: 6 ppm (Vacated) STEL: 15 mg/m3 TWA: 3 ppm TWA: 6 mg/m3	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m3 STEL: 6 ppm STEL: 15 mg/m3

OSHA TABLE COMMENTS: NL = Not Listed

**ENGINEERING CONTROLS:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

PERSONAL PROTECTIVE EQUIPMENT:

EYES AND FACE:

HAND:

No special protective equipment required.

No special protective equipment required.

SKIN:

No special protective equipment required.

**RESPIRATORY:** No personal respiratory protective equipment normally required.

WORK HYGIENIC PRACTICES: Avoid accidental spills on skin, wash after use. Wash contaminated clothing prior toreuse.

OTHER USE PRECAUTIONS: Ha we clean water available for washing. Provide adequate ventilation or use mechanical devices.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPERANCE/PHYSICAL STATE: Liquid COLOR: Lt Red ODOR: Acidic pH: 7.5 +/- 0.5 FLASH POINT: None

ODOR THRESHOLD: No Data Available MELTING POINT/FREEZING POINT: No Data Available

**BOILING POINT:** >212°F

(Water=1) :>1 (slower than water) No Data Available **EVAPORATION RATE:** 

FLAMMABILITY (SOLID, GAS): UPPER EXPLOSION LIMIT: No Data Available SPECIFIC GRAVITY: (H<sub>2</sub>O=1): 1.05LOWER EXPLOSION LIMIT: No Data Available VAPOR PRESSURE: No Data Available

RELATIVE VAPOR DENSITY: (Air=1):>1 (heavier than air)

SPECIFIC GRAVITY: 1.013 WATER SOLUBILITY: 100% SOLUBIILITY IN OTHER SOLVENTS:

No Data Available PARTITION COEFFICIENT: N-Octanol/WATER: No Data Available **AUTOIGNITION TEMPERATURE:** No Data Available THERMAL DECOMPOSITION: No Data Available VISCOSITY, KINEMATIC: No Data Available **EXPLOSIVE PROPERTIES:** No Data Available OXIDIZING PROPERTIES: No Data Available MOLECULAR WEIGHT: No Data Available < 7 grams / Liter

## 10. STABILITY AND REACTIVITY

Stable STABILITY: **HAZARDOUS POLYMERIZATION:** Will NOT Occur

Extreme heat or flame. Avoid contact with soft metals. Keep from freezing. **CONDITIONS TO AVOID:** 

**POLYMERIZATION:** Will NOT Occur **HAZARDOUS DECOMPOSITION PRODUCTS:** CO, CO2, Nitrogen

**INCOMPATIBLE MATERIALS:** None.

# 11. TOXICOLOGICAL INFORMATION

**INFORMATION ON LIKELY ROUTES OF EXPOSURE:** Inhalation, Ingestion, Eye contact, Skin contact.

SYMPTOMS OF EXPOSURE:

Eye Contact : Causes eye irritation. Skin Contact: Causes skin irritation. Ingestion:

Pain, nausea, vomiting and diarrhea Inhalation: May cause nasal discomfort and coughing.

**IMMEDIATE, DELAYED, CHRONIC EFFECTS:** 

Product Information:
TARGET ORGAN EFFECTS: Data not available for insufficient for classification.

Eyes. Respiratory System. Skin. Blood. Central Nervous System.

Hematopoietic System. Kidney. Liver.

# **NUMERICAL MEASURES OF TOXICITY:**

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

## COMPONENT ACUTE TOXICITY INFORMATION

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
Ethanolamine	141-43-5	1720 mL/kg (Rat)	1000 mL/kg (Rabbit) 1 ml/Kg (rabbit)	1.3 mg/L (rat) 6 hour
Dodecyl Benzene Sulfonic Acid	27176-87-0	1219 mg/kg (Rat)	>2000 mg/kg (Rat)	Not listed
Isopropanol	67-63-0	5045 mg/kg (Rat) 3600 mg/kg (Mouse)	12800 mg/kg (Rat)	72.6 mg/L (Rat) 4 h
Diethylene Glycol Butyl Ether	112-34-5	> 2000 mg/kg, rat	> 2000 mg/kg, rabbit	> near saturated vapor concentration 1 hour rat

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

# ECOTOXICOLOGICAL INFORMATION: ECOTOXICITY

Chemical Name (CAS)	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Ethanolamine (141-43-5)	EC50: 15 mg/L/72h	Leusiscus idus: LC50: >200 mg/L/48h Salmo gairdneri: LC50: 150 mg/L/96h	Pseudomonas putida: EC50: 110 mg/L/17 h Nitrosomonas: EC50: 12200 mg/L/2 h Photobacterium phosphoreum: EC50: 13.7 mg/L/30 min	EC50: 65 mg/L/48h
Dodecyl Benzene Sulfonic Acid (27176-87-0)	EC50: = 36 mg/L, 72h (Desmodesmus subspicatus)	LC50: = 5.6 mg/L, 96h flow- through (Cyprinus carpio)	Not Available	EC50: = 5.2 mg/L, 48h(Daphnia magna
Isopropanol (67-63-0)	EC50: > 1000 mg/L, 96h (Desmodesmus subspicatus) EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus)	LC50: = 9640 mg/L, 96h flow-through (Pimephales promelas) LC50: > 1400000 µg/L, 96h (Lepomis macrochirus) LC50: = 11130 mg/L, 96h static (Pimephales promelas) LC50: = 10000000 µg/L, 96h (Daphnia)	= 35390 mg/L EC50 Photobacterium phosphoreum 5 min	13299 mg/L EC50 = 48 h9714 mg/L EC50 = 24 h
Diethylene Glycol Butyl Ether (112-34-5)	Low toxicity: LC/EC/IC50 >1000 MG/L	Low toxicity: LC/EC/IC50 >1000 MG/L	Expected to have low toxicity: LC/EC/IC50 > 1000 MG/L	Low toxicity: LC/EC/IC50 >100 MG/L

 Persistence and Degradability:
 No Information Available

 Bioaccumulation:
 No Information Available

 Other Adverse Effects:
 No Information Available

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of in accordance with all Local, State and Federal regulations.

EMPTY CONTAINER: Nonrefillable container. Do not reuse or refill container. Before discarding container, rinse thoroughly with water.

RCRA/EPA WASTE INFORMATION: N/A

#### 14. TRANSPORT INFORMATION

THE SHIPPER/CONSIGNOR/SENDER IS RESPONSIBLE TO ENSURE THAT THE PACKAGING. LABELING. AND MARKINGS ARE IN COMPLIANCE WITH THE SELECTED MODE OF TRANSPORT.

SEA TRANSPORT (IMDG/IMO):

**DOT (DEPARTMENT OF TRANSPORTATION) LAND TRANSPORT:** Not dangerous goods

Not dangerous goods

# 15. REGULATORY INFORMATION

# EPCRA – EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW CERCLA REPORTABLE QUANTITY

Chemical Name	CAS Number	Component RQ (Lbs.)	Calculated Component RQ (lbs.)
None	N/A	N/A	N/A

### **UNITED STATES:**

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All Chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA (SUPERFUND AMENDMENRS AND REAUTHORIZATION ACT)

# SARA 304 EXTREMLY HAZARDOUS SUBSTANCES REPORTABLE QUANTITY:

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazard Categories:

Acute Health Hazard: Yes
Chronic Health Hazard: Yes
Fire Hazard: No
Sudden Release of Pressure Hazard: No
Reactive Hazard: No

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**CALIFORNIA PROP 65:** 

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# 16. OTHER INFORMATION

Instability: 0 Physical Hazards: 0 NFPA HMIS Health Hazards: 2 Flammability: 0 Flammability: 0 Special: N/A

Health Hazards: 2

**Revision Date:** 11/11/2023

**Reasons For Revision:** No Information Available

MANUFACTURER DISCLAIMER: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

---- End of Safety Data Sheet ----